




CLIO *frame*

CONTENT

SHOP FRONT

PAGE

• Shop Front 3 inch	1
• Shop Front 4 inch	3
• Sliding Door	6
• Sliding Window	9
• Casement Window	11
• Swing Door	13
• Folding Door	16
• Curtain Wall	17

THICK COMMODITIES

PAGE


• Unequal Channel	19
• Rectangular Hollow	19
• Other Thick Commodities	19

MOTIF & SOLID COLOR


PAGE

• Motif & Solid Color	21
-----------------------	----


SHOP FRONT 3 INCH




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
04110211	1.00	0.183	132.55
04110214	1.15	0.203	132.25
04110215	1.20	0.209	131.56




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
04120211	1.00	0.284	206.52
04120214	1.15	0.318	205.62
04120215	1.20	0.327	204.73




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
04140211	1.00	0.518	370.82
04140214	1.15	0.589	369.79
04140215	1.20	0.608	368.54




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
04150211	1.00	0.201	147.51
04150214	1.15	0.229	147.02
04150215	1.20	0.237	146.38




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
04280211	1.00	0.479	353.25
04280214	1.15	0.549	352.22
04280215	1.20	0.569	350.97




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
04290211	1.00	0.580	427.22
04290214	1.15	0.664	425.59
04290215	1.20	0.689	424.94




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
05040211	1.00	0.498	363.54
05040214	1.15	0.563	362.04
05040215	1.20	0.588	361.18




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
05550211	1.00	0.086	70.44
05550214	1.15	0.092	70.14
05550215	1.20	0.094	69.45




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
604140211	1.00	0.565	398.21
604140214	1.15	0.642	397.48
604140215	1.20	0.655	395.93




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
604280211	1.00	0.526	380.64
604280214	1.15	0.603	379.91
604280215	1.20	0.616	378.37




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
604290211	1.00	0.627	454.61
604290214	1.15	0.718	453.28
604290215	1.20	0.735	452.34




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
05540111	1.00	0.270	197.49
05540114	1.15	0.304	196.59
05540115	1.20	0.314	195.87
05540116	1.25	0.327	195.99
05540118	1.35	0.349	195.39




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
05580111	1.00	0.655	463.33
05580114	1.15	0.744	462.25
05580115	1.20	0.769	461.15
05580116	1.25	0.803	461.53
05580118	1.35	0.861	460.81




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
05590111	1.00	0.705	519.39
05590114	1.15	0.809	518.26
05590115	1.20	0.838	517.15
05590116	1.25	0.877	517.50
05590118	1.35	0.946	516.75




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
05600111	1.00	0.603	444.20
05600114	1.15	0.691	443.17
05600115	1.20	0.717	442.09
05600116	1.25	0.749	442.48
05600118	1.35	0.808	441.80



SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
05610111	1.00	0.243	174.16
05610114	1.15	0.270	173.86
05610115	1.20	0.278	173.34
05610116	1.25	0.288	173.66
05610118	1.35	0.306	173.46




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
05620111	1.00	0.346	249.44
05620114	1.15	0.388	248.95
05620115	1.20	0.400	248.39
05620116	1.25	0.416	248.68
05620118	1.35	0.444	248.41




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
20300111	1.00	0.618	454.93
20300114	1.15	0.705	453.90
20300115	1.20	0.735	452.86
20300116	1.25	0.763	453.21
20300118	1.35	0.821	452.52


SHOP FRONT 4 INCH




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
605580111	1.00	0.714	498.41
605580114	1.15	0.812	497.45
605580115	1.20	0.828	496.09
605580116	1.25	0.876	496.92
605580118	1.35	0.941	496.38




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
605590111	1.00	0.764	554.33
605590114	1.15	0.876	553.46
605590115	1.20	0.897	552.08
605590116	1.25	0.951	552.89
605590118	1.35	1.025	552.32




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
605600111	1.00	0.661	479.13
605600114	1.15	0.758	478.37
605600115	1.20	0.775	477.03
605600116	1.25	0.823	477.87
605600118	1.35	0.887	477.37




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
90540111	1.00	0.478	254.42
90540114	1.15	0.545	252.56




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
90550111	1.00	0.481	228.72
90550114	1.15	0.549	227.52




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
90560111	1.00	0.368	268.62
90560114	1.15	0.413	264.72




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
90580111	1.00	0.570	396.66
90580114	1.15	0.640	394.26




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
91020111	1.00	0.586	426.43
91020114	1.15	0.662	424.63




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
91030111	1.00	0.464	318.61
91030114	1.15	0.511	315.89




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
91040111	1.00	0.384	282.41
91040114	1.15	0.439	281.42




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
91050211	1.00	0.365	260.89
91050214	1.15	0.410	259.86




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
91060111	1.00	0.277	166.09
91060114	1.15	0.301	165.06




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
91080111	1.00	0.264	195.24
91080114	1.15	0.301	194.34




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
0350111	1.00	0.262	134.06
0350113	1.10	0.286	133.57




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
0360111	1.00	0.320	175.80
0360113	1.10	0.349	175.07




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
0370111	1.00	0.350	247.96
0370113	1.10	0.380	247.27




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
0380111	1.00	0.256	185.78
0380113	1.10	0.276	183.72




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
0390111	1.00	0.316	234.34
0390113	1.10	0.346	233.26




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
0400111	1.00	0.434	311.02
0400113	1.10	0.470	310.23




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
06680111	1.00	0.345	238.11
06680113	1.10	0.368	236.91




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
18260112	1.05	0.436	206.56
18260114	1.15	0.470	204.75
18260115	1.20	0.492	206.96




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
18280111	1.00	0.188	137.64
18280114	1.15	0.214	137.07
18280115	1.20	0.222	136.43




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
18290112	1.05	0.325	217.42
18290114	1.15	0.349	215.93
18290115	1.20	0.364	216.57




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
83090109	0.90	0.451	242.06
83090112	1.05	0.513	239.57
83090115	1.20	0.576	239.91




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
720120111	1.00	0.548	382.44
720120115	1.20	0.633	380.93




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
531910111	1.00	0.284	198.02
531910115	1.20	0.334	198.23




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
81300111	1.00	0.213	145.11
81300115	1.20	0.247	145.68




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
20000215	1.20	1.064	419.06
20000217	1.30	1.143	418.71
20000219	1.40	1.222	418.3



SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
20050115	1.20	0.722	296.46
20050117	1.30	0.773	296.11
20050119	1.40	0.823	295.71




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
20020115	1.20	0.886	358.14
20020117	1.30	0.948	357.43
20020119	1.40	1.010	356.66




SECTION NO.	THICKNESS T (Kg/M)	WEIGHT (Kg/M)	PERIMETER A (mm)
20010115	1.20	0.920	369.91
20010117	1.30	0.984	369.20
20010119	1.40	1.047	368.40


SWING DOOR



SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
23980215	1.20	0.920	369.98
23980217	1.30	0.983	369.27
23980219	1.40	1.047	368.47




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
20030211	1.00	0.160	111.79




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
55640111	1.00	0.147	110.02




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
55650111	1.00	0.189	141.02




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
570310117	1.30	1.089	365.76




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
57050115	1.20	0.816	318.19




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
570120115	1.20	0.905	375.80




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
5202	1.20	0.327	205.59




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
5203	1.20	0.661	269.23




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
5204	1.00	0.411	183.68




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
5207	1.20	0.550	188.38




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
5211	1.20	0.575	185.94




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
5302	1.00	0.162	119.85




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
6008	1.00	0.279	203.55




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
6007	1.20	0.863	317.40




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
6010	1.20	0.691	192.00




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
6013	1.30	1.068	285.31




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
6023	2.00	1.618	306.00




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
211190109	0.90	0.180	149.11
211190115	1.20	0.239	148.51




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
211340111	1.00	0.369	274.00




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
212520209	0.90	0.363	152.40




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
212510309	0.90	0.301	126.66




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
226000407	0.80	0.259	239.58




SECTION NO.	THICKNESST (Kg/M)	WEIGHT (Kg/M)	PERIMETERA (mm)
226001711	1.00	0.364	270.51



SECTION NO.	THICKNESS (Kg/M)	WEIGHT (Kg/M)	PERIMETER (mm)
228001009	0.90	0.484	208.88



SECTION NO.	THICKNESS (Kg/M)	WEIGHT (Kg/M)	PERIMETER (mm)
240000009	1.00	0.256	185.26
240000015	1.20	0.307	184.76




SECTION NO.	THICKNESS (Kg/M)	WEIGHT (Kg/M)	PERIMETER (mm)
241000009	1.00	0.452	330.39



QUARTER-CUT
TEAK



NATURAL WHITE
OAK



MOTIF



CROWN-CUT
TEAK



WALNUT



ROSEWOOD

SOLID COLOR




WHITE

GREY

BROWN

GREEN



BLACK

MAGNOLIA

LIGHT BROWN

CREAM

CLIO frame

Head Office

Jakarta

Citta Graha 3E, Jl. Panjang No. 26
Kedoya Selatan, Jakarta 11520, Indonesia

☎ +62-21 2942 7688 / 2258 4128

☎ +62-81 789 6789 (Whatsapp Only)

✉ info@aluveen.co.id

Bali

Jl. Dewi Sri VIII, Pertokoan Plaza 18,
Blok B No. 6, Kuta - Bali 80361

☎ +62-361 472 6071 / 472 6147

☎ +62-81 789 6789 (Whatsapp Only)

✉ info@aluveen.co.id

Surabaya

Puncak CBD, Ruko 8C-PSR
Surabaya, Jawa Timur 60241

☎ +62-31 568 2298 / 568 7230

☎ +62-81 789 6789 (Whatsapp Only)

✉ info@aluveen.co.id



www.lapakarsitek.com